# N660

## PROFILE

N660 All-in-One thin client is the perfect replacement of PC plus monitor solution adopting high performance Intel i3/i5 processor, big 18.5" LCD screen and elegant design.

## FEATURES

➢ **Professional operating system**

Installed with Centerm professional WES7 cloud client operating system, secure and reliable, simple and easy to use.

➢ **VDI Support**

Support Citrix, VMware and Microsoft virtualization solutions and offer smooth user experience.

➢ **Leading the All-in-One Trend**

With the compact and stylish appearance, greatly saves users' space.

➢ **Varied Peripherals**

6 USB ports, compatible with major peripherals.

## Connectivity

1. DC 19V input
2. PS/2 Mouse
3. PS/2 Keyboard
4. Parallel Port
5. Serial Port
6. RJ-45
7. USB 3.0 Ports
8. USB 2.0 Ports
9. Line-out
10. Mic-in
11. Brightness Up
12. Brightness Down
13. Power Button

# SPECIFICATION

| SYSTEM | |
|---|---|
| Processor | Intel i3-4170S Dual core 3.7GHz or<br>Intel i5-4570S Quad core 2.9GHz |
| Available Operating System | WES 7 / WES 8 / Win 10 IOT |
| Management | CCCM |
| **MEMORY** | |
| RAM (DDR3) | 2GB ( Max up to 8GB) |
| Hard Disk | 320GB ( up to 500GB), optional mSATA SSD |
| **DISPLAY** | |
| Screen | 18.5" |
| Resolution | 1366 * 768, VGA up to 2560 *1600 @ 60Hz (optional) |
| **NETWORK** | |
| LAN | x1 (10/100/1000 Base-T Fast Ethernet, RJ-45) |
| WLAN | Optional Mini PCI-E wireless |
| **I/O PERIPHERAL INTERFACE** | |
| USB Port | x 6 (side: USB 2.0 x 4, rear: USB 3.0 x 2) |
| RJ-45 | x 1 |
| PS/2 port | x 2 |
| Serial Port | x 1 (extensible to 4 via cable) |
| Parallel Port | x 1 |
| **AUDIO** | |
| Port | Mic-in x 1, Line-out x 1 |
| **DIMENSION** | |
| Device (including the stand) | 485.2mm x 206mm x 385mm |
| Packaging | 574mm x 226mm x 464mm |
| Net Weight | 5.92 kg |
| **POWER** | |
| Adapter | Worldwide auto-sensing 100-240V AC, 50/60 Hz, 19V/4.74A DC |
| Power Consumption | 28.12w |
| **MOUNTING** | |
| Stand | Vertical feet standard / Wall mounted |
| Security | Standard Kensington anti-theft keyhole |
| **ENVIRONMENT** | |
| Cooling | Fan convection |
| Operation Temperature | 0℃ to 40℃ |
| Relative Humidity | 30% to 90% non-condensing |